503

V11.2013

Lesman

INSTRUMENTS • VALVES • CONTROLS

Chicago Area Office
135 Bernice Dr, Bensenville IL 60106
Ph: 800-953-7626 • 630-595-8400
Fax: 630-595-2386

Milwaukee Area Office
5160 N 125th St, Butler WI 53007
Ph: 800-837-1700 • 262-923-1790
Fax: 262-923-1797

E-mail: sales@lesman.com

Contact: _____ Ext. _____

Name: _____

Company: _____

Street: _____

City: _____ State: _____ Zip: _____

E-mail Address: _____

Phone: (____) _____ Fax: (____) _____

This is a: ☐ Request for Quote ☐ Order: PO# _____

Quantity Needed: _____ Date Required: _____/_____/____

Shipping Method: _____ Partials Accepted: ☐ Yes ☐ No

Need Help?

With the wide variety of options United Electric offers for their pressure and temperature switches, we don't have room to show them all! If you can't find what you need in our catalog, fill out this form and fax it to Lesman. We'll help you find the right product for your application.

UE Switches
Application Datasheet

Process Specifications:

- Process Media _____
- Operating Pressure _____
- Maximum Pressure _____
- Operating Temperature _____
- Maximum Temperature _____

Instrument Type:

- ☐ Pressure
- ☐ Differential Pressure
- ☐ Vacuum
- ☐ Temperature Mount: ☐ Remote ☐ Local Immersion Stem
- ☐ Temperature Indicator

Enclosure:

- ☐ Skeleton
- ☐ NEMA 1, General Purpose
- ☐ NEMA 4, Watertight and Dust-tight
- ☐ NEMA 4X, Watertight, Dust-tight, and Corrosion-Resistant
- ☐ Other _____

Switch Type:

- ☐ SPDT
- ☐ SPDT Normally Open
- ☐ SPDT Normally Closed
- ☐ DPDT

Deadband:

- ☐ Fixed
- ☐ Adjustable
- ☐ Manual Reset

Setpoint:

- ☐ Factory set at _____
- ☐ Field Calibrated

Sensor:

- ☐ Welded Stainless Steel Bellows
- ☐ Brass/Bronze Bellows
- ☐ Immersion Stem
- ☐ Elastomer Diaphragms
- ☐ High Pressure Piston
- ☐ Bulb and Capillary
- ☐ Other: _____

Pressure Connection:

- ☐ 1/8 NPT
- ☐ 1/4 NPT
- ☐ 1/2 NPT
- ☐ Other: _____

Other Application Details or Special Requirements

_____

_____

_____

_____

_____

_____

_____