



512

V11.2013

INSTRUMENTS • VALVES • CONTROLS

Chicago Area Office
135 Bernice Dr, Bensenville IL 60106
Ph: 800-953-7626 • 630-595-8400
Fax: 630-595-2386

Milwaukee Area Office
5160 N 125th St, Butler WI 53007
Ph: 800-837-1700 • 262-923-1790
Fax: 262-923-1797

E-mail: sales@lesman.com

Contact: _____ Ext. _____

Name: _____

Company: _____

Street: _____

City: _____ State: _____ Zip: _____

E-mail Address: _____


Phone: (____) _____ Fax: (____) _____

This is a: Request for Quote Order: PO# _____

Quantity Needed: _____ Date Required: ____/____/____

Shipping Method: _____ Partial Accepted: Yes No

Veris Accelabar
Application Datasheet



Process Conditions

Media Type: _____

Table with 5 columns: Min., Normal, Max., Units, and a blank column. Rows include Flow Rate (GPM), Process Pressure (PSI bar), and Process Temperature (°C °F).

Specific Gravity: _____

Molecular Weight (Gas): _____

Process Pipe

Pipe Size: _____ Pipe Schedule: _____

Pipe ID: _____ Wall Thickness: _____

Pipe Material: _____

Pipe Orientation: Horizontal Vertical

Special Instructions/Notes: _____

Series of horizontal lines for additional notes or specifications.

Flowmeter Selection

Table for Flowmeter Selection with columns for ANSI Flanged (150#, 300#, 600#), Meter Size (3", 6", 10"), and ABS Bevel for Weld (3", 8", 12").


Instrument Head Connection: (Sold Separately)

Direct Mount Transmitter (Flanged 450°F Max.)



Integral Transmount

Remote Mount Transmitter (1/2" NPT)




Integral Valve Regular Parallel

Manifold: (optional)



3-Valve 5-Valve

Instrument Valves: (optional)



1/2" NPT Needle 1/2" NPT Gate

Seat Type:

- Hard
Soft

Material:

- Carbon Steel
Stainless Steel

Material:

- Carbon Steel
Stainless Steel

Optional Components

- RTD: Non-Hazardous Location
Hazardous Location, Class 1 Div 1, Explosion Proof
Hazardous Location, Class 1 Div 2, Non-Incendive Wiring
High Temperature (500° to 900°F, 260° to 482°C)

Connection Cable to Transmitter: (Direct Mount Only)

- Explosion Proof (hazardous locations)
NEMA 4

Transmitter

Supplied By: Veris Other